

Designed specifically to treat the hardness and impurities of your home's water supply, the high performing **PURESOFT** delivers water of the highest quality Fully customizable for your specific need, the **PURESOFT** provides you one of the most advanced engineered, complete water treatment systems on the market today



1000 A | 2000 A | 3000A | Maxi-A

What is Hard Water?

Hard water that has heavy mineral contents. It contains high amount of calcium and magnesium ions. High amount of calcium and magnesium ions make water hard. Hence these both ions also referred as "Hardness Agent".

World wide water hardness scale recognize 4 water hardness classes, depending upon the concentration and the mineral.





Rain water is naturally soft...




...it becomes hard as it



The water is treated but passes through the land. remains hard as it enters the home.

Classification of water	Hardness (PPM)	Hardness (GPG)	Hardness (mmol/L)
Soft	0-60	0-3.50	0-0.60
Hard	61-180	3.50 -10.51	0.60-1.80
Very hard	≥ 181	≥ 10.57	≥ 1.81



THE REALITY IS WORSE **MORE THAN**

90%

OF PEOPLE FIND THAT THEIR AVAILABLE WATER IS HARD.

Protect your home

Wait until you see the difference





You'll love your sparkly, shiny, limescale-free taps, no scrubbing necessary!





Maintain the efficiency of your water-using appliances including your washing machine and dishwasher.





Warm up those vocal chords under your free-flowing shower, every morning.





Marvel at your beautifully shiny and Wonderfully clear shower screen.





PURESOFT SERIES - 1000 A

FOR KITCHEN / BATHROOM / WASHING MACHINE / APPLIANCE



PURESOFT SERIES 1000 A - Specification

Service Flow Rate	1000 Liter Per Hour (Max)
Resin Volume	9 Liter (Food Grade, UBS)
Input Water Pressure / Temp	1 - 3 Kg/cm2 10 - 40 °C
OBR (11.25 German Degree / 200 ppm of Hardness)	2500 Liter
Salt Required Per Recharge	0.90 to 1.20 Kgs

Features



Fully Automatic Regeneration



High Output Capacity



LED Panel For Control



Compact Design



Easy Installation



Auto Setting Lock

PURESOFT SERIES - 2000 A

SMALL HOME / STUDIO APARTMENT

PURESOFT SERIES 2000 A - Specification

Service Flow Rate	2000 Liter Per Hour (Max)	
Resin Volume	25 Liter (Food Grade, UBS)	
Input Water Pressure / Temp	1 - 3 Kg/cm2 10 - 40 °C	
OBR (11.25 German Degree / 200 ppm of Hardness)	7000 Liter	
Salt Required Per Recharge	2.50 to 3.25 Kgs	

Features



Fully Automatic Regeneration



High Output Capacity



LED PanelFor Control



Compact Design



Easy Installation



Auto Setting Lock



PURESOFT SERIES - 3000 A

INDEPENDENT HOME | VILLAS



PURESOFT SERIES 3000 A - Specification

Service Flow Rate	3000 Liter Per Hour (Max)
Resin Volume	32 Liter (Food Grade, UBS)
Input Water Pressure / Temp	1 - 3 Kg/cm2 / 10 - 40 °C
OBR (11.25 German Degree / 200 ppm of Hardness)	9000 Liter
Salt Required Per Recharge	3.20 to 4.16 Kgs

Features



Fully Automatic Regeneration



Intelligent Inside



LCD Panel For Control



Compact Design



Easy Installation



Auto Setting Lock

PURESOFT SERIES - Maxi A

LARGE FAMILY AND COMMERCIAL USAGE

PURESOFT SERIES Maxi A - Specification

Service Flow Rate	5000 Liter Per Hour (Max)
Resin Volume	50 -200 Liter (As Per The Requirement)
Input Water Pressure / Temp	1 - 3 Kg/cm2 10 - 40 °C
OBR (11.25 German Degree / 200 ppm of Hardness)	7000 Liter
Salt Required Per Recharge	2.50 to 3.25 Kgs

Features



Fully Automatic Regeneration



High Output Capacity



LED Panel For Control



Compact Design



Easy Installation



Auto Setting Lock



WATER AWARDS 2017-18

BEST WATER TREATMENT SYSTEMS-SOFTENER





WATER AWARDS 2018-19

BEST COMPLETE DOMESTIC WATER MANAGEMENT SOLUTION PROVIDER "DOMESTIC & INSTITUTIONS





Ministry of Water Resources, River Development & Ganga Rejuvenation Government of India





In partneship with

New Delhi Office

Cluster Office for Bangladesh,
Bhulan, India, Meldives,
Nepal and Sri Lanka

Dealer Stamp

WQA CERTIFIED RESINS INSIDE













Tel.No:. 011-41106124,45066467. WhatsApp No:. +91-8744052931,36 Emai ID:. Info@purnsafe.com / Website:.www.purensafe.com